© copyright nammel green and abrahamson, inc.

 $\sum_{3/4"} \frac{\text{ELEVATION}}{3/4" = 1'-0"}$

403

EXTERIOR
ELEVATIONS
TERRA COTTA &
MASONRY REPAIR
SCOPE OF WORK

construction documents

project number: scale: date: drawn by: 0781-006-25 1/8"=1'-0" 10 april 2002 VAL

registration number:

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly LICENSED ARCHITECT under the laws of the State of Minnesota name: Gary A. Reetz signature:

Architecture | Englineering | ... Hammel, Green and Abrahamson, Inc. Harmon Place-Minneapolis, Minnesota USA 55403-1985 Telephone 612.337.4100 Facsimile 612.332.9013

DATE

10 30B 4-9 TOWERS:

1. BRICK MASONRY—

EXAMINE MORTAR JOINTS IN BRICK MASONRY. CUT OUT AND REPOINT ALL JOINTS FOUND TO BE OPEN, MISSING, LOOSE, DETERIORATED, OR OTHERWISE UNSOUND TO MATCH ORIGINAL "RAKED" JOINT PROFILE. REMOVE AND REPLACE CRACKED, BROKEN AND DETERIORATED BRICK WITH THE FOLLOWING GIVEN HIGHEST PRIORITY:

OF THE BRICK WALL ABOVE THE CORNICE ON A401 VARIOUS PIECES OF TERRA COTTA @ STRING COURSE BANDS & ICELLANEOUS TERRA COTTA TRIM ARE CRACKED, CHIPPED OR OTHERWISE MAGED. REPAIR IN PLACE WHERE POSSIBLE UNLESS OTHERWISE NOTED. IE DETAILS AND KEY NOTES ON ELEVATIONS)

IDERED FOR

Minneapolis Community

Development Agency MCDA restoration

terra orpheum cotta masonry theatre